Available online at www.sciencedirect.com
SCIENCE DIRECT®
Journal of Organometallic Chemistry 671 (2003) 189
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Author Index of Volume 671

Abarbri, M., 113
Abla, M., 179
Adams, R.D., 158
Arguello, E., 150
Arthanari, H., 126

Balland, A., 113
Barros, H.J.V., 150
Bhaduri, S., 101
Böhme, U., 75
Bueno, A., 187
Bunker, K.D., 1
Bunz, U.H.F., 43

Captain, B., 158
Chadha, R.K., 35

David-Quillot, F., 113
De Vos, D., 131
dos Santos, E.N., 150
Dötz, K.H., 58
Duchêne, A., 113

Ellert, O.G., 91

Fanwick, P.E., 166
Fiscus, J., 43
Fry, A.J., 126
Fu, W., 158

Ganesan, M., 166
Garrison, J.C., 183
Gervasio, G., 137
Giering, W.P., 13
Gusevskaya, E.V., 150

Hazra, D., 52

Jacobs, P., 131

Kaburagi, Y., 8
Kaimakliotis, C., 126
King, P.J., 137
Kosaka, Y., 8
Kulkarni, S.A., 101
Kumar, M., 35

Langle, S., 113
Laskoski, M., 43
Le Floch, P., 120
Lee, G.-H., 145
Lu, G.-L., 27
Lyssenko, K.A., 91

Marabello, D., 137
Mathey, F., 120
Melis, K., 131
Moreno, R.M., 187
Morton, J.G.M., 43
Moyano, A., 187
Mukhopadhyay, S., 101

Narula, S.P., 35
Nättinen, K., 58
Nieger, M., 58
Novotortsev, V.M., 91

O'Connor, J.M., 1
Ospina, M.L., 150

Pasynskii, A.A., 91
Peng, S.-M., 145
Prock, A., 13
Puranik, V.G., 52

Quezada, C.A., 183

Reyes, C., 13
Ricard, L., 120
Ricks, H.L., 43
Rocha, W.R., 150
Royo, P., 172

Sappa, E., 137
Sarkar, A., 52
Sava, X., 120
Secco, A., 137
Semenova, N.I., 91
Shankar, R., 35
Shimizu, K.D., 43
Shinozaki, Y., 8
Shotwell, S., 43
Sinha-Mahapatra, D.K., 52
Skabitski, I.V., 91
Smith, M.D., 43
Sunada, Y., 8
Szesni, N., 58

Tatsumi, K., 8
Tessier, C.A., 183
Torubaev, Y.V., 91
Tsutsumi, Y., 8

Vázquez, A.B., 172
Verpoort, F., 131

Walton, R.A., 166
Wong, C.-K., 27
Wong, W.-Y., 27

Yamaguchi, I., 179
Yamamoto, T., 179
Yamamoto, Y., 8
Yeh, W.-Y., 145
Youngs, W.J., 183

zur Loye, H.-C., 43

Elsevier Science B.V.
doi:10.1016/S0022-328X(03)00193-1

Available online at www.sciencedirect.com
SCIENCE DIRECT®
Journal of Organometallic Chemistry 671 (2003) 191–194
Journal of Organometallic Chemistry
www.elsevier.com/locate/jorganchem

Subject Index of Volume 671

Activation energy
Origin of variation in polymerization activity for Ziegler–Natta catalyst with chloride and alkoxy ligands: a density functional study, 101
Alkoxy ligands
Origin of variation in polymerization activity for Ziegler–Natta catalyst with chloride and alkoxy ligands: a density functional study, 101
Alkynes
Trans-spanning acetylenic bispyridine ligands: synthesis and structural characterization of novel organic and organometallic pseudodehydroannulenes, 43
Alkynyl complexes
σ-Acetylide complexes of ruthenium and osmium containing alkynylsilane ligands, 27
Allylic clusters
Formation of an allylic cluster in the reactions of $[Ru_3(CO)_{12}]$ with diethylamino-propyne and trimethylsilyl propargyl alcohol. Crystal structure of $[(\mu\text{-H})Ru_3(CO)_9(\mu_3\text{-}\eta^3\text{-}C_3H_3)]$, 137
Arene complexes
Reaction of complex ligands: Part 95. Chromium tricarbonyl complexes of polysubstituted naphthohydroquinones: regioselective synthesis via [3+2+1]-benzannulation and haptotropic rearrangement, 58
(Arene)ruthenium
Stereochemistry of mono- and dinuclear complexes of rhodium, iridium and ruthenium bearing bis(diphenylphosphinomethyl)phenylphosphine, 8
Asymmetric catalysis
Analysis of the enantioselectivities and initial rates of the hydrosilylation of acetophenone catalyzed by $[Rh(cod)Cl]_2$/(chiral diphosphine). The quantitative analysis of ligand effects, 13

Benzannulation
Reaction of complex ligands: Part 95. Chromium tricarbonyl complexes of polysubstituted naphthohydroquinones: regioselective synthesis via [3+2+1]-benzannulation and haptotropic rearrangement, 58
Bis(diphenylphosphino)acetylene
Synthesis and reactivity of ditungsten helical complex $W_2(CO)_6(\mu\text{-}Ph_2PC{\equiv}CPPh_2)_3$, 145
Bis(diphenylphosphinomethyl)phenylphosphine
Stereochemistry of mono- and dinuclear complexes of rhodium, iridium and ruthenium bearing bis(diphenylphosphinomethyl)phenylphosphine, 8

Camphene
Rhodium catalyzed hydroformylation of β-pinene and camphene: effect of phosphorous ligands and reaction conditions on diastereoselectivity, 150
Carbene complexes
Reaction of complex ligands: Part 95. Chromium tricarbonyl complexes of polysubstituted naphthohydroquinones: regioselective synthesis via [3+2+1]-benzannulation and haptotropic rearrangement, 58
Carbon–hydrogen bond activation
Thermolysis of $[(\eta^5\text{-}C_5H_5)Co(PPh_3)(\eta^2\text{-DMAD})]$, revisited: a solid state analysis reveals the true structure of the triphenylphosphine–alkyne coupling product, 1
Carboxylates
Disproportionation reactions of (methoxy/hydroxy)diorganotin(IV) methanesulfonates with carboxylic acids: Synthesis and structure of new diorganotin(IV) carboxylates, 35
Carbyne complexes
Synthesis and structure of novel, air-stable carbyne complexes of tungsten, 52
Cations
Oxidation of the octa-(ethyl)diphosphaferrocene, 120
C–CN compound
Reductive elimination of C–CN compounds from nickel complexes as a reverse reaction for oxidative addition of benzonitriles to nickel, 179
Chalcogenide
Antiferromagnetic complexes with metal–metal bonds. Part XXX. Synthesis and molecular structures of the antiferromagnetic adducts $[Cp'Cr(\mu\text{-SPh})]_2(\mu_3\text{-Se})ML$ ($Cp' = \eta^5\text{-}CH_3C_5H_4$, $ML = Fe_3(\mu_3\text{-S})_2(CO)_8$, $Mn_2(CO)_9$, $Mn_2(CO)_8$), paramagnetic complexes $Cp'Cr(\mu\text{-SPh})_3Mn(CO)_3$ and $[Cp'Cr(\mu\text{-SPh})]_2Te$, diamagnetic cluster $Cp'_2Cr_2(\mu\text{-SPh})(\mu_3\text{-S})(\mu_3\text{-Te})Co(CO)_2$, 91
$C_{51}H_{37}ClCuF_3N_4O_7S$
Trans-spanning acetylenic bispyridine ligands: synthesis and structural characterization of novel organic and organometallic pseudodehydroannulenes, 43
Chromium
Antiferromagnetic complexes with metal–metal bonds. Part XXX. Synthesis and molecular structures of the antiferromagnetic adducts $[Cp'Cr(\mu\text{-SPh})]_2(\mu_3\text{-Se})ML$ ($Cp' = \eta^5\text{-}CH_3C_5H_4$, $ML = Fe_3(\mu_3\text{-S})_2(CO)_8$, $Mn_2(CO)_9$, $Mn_2(CO)_8$), paramagnetic complexes $Cp'Cr(\mu\text{-SPh})_3Mn(CO)_3$ and $[Cp'Cr(\mu\text{-SPh})]_2Te$, diamagnetic cluster $Cp'_2Cr_2(\mu\text{-SPh})(\mu_3\text{-S})(\mu_3\text{-Te})Co(CO)_2$, 91
Reaction of complex ligands: Part 95. Chromium tricarbonyl complexes of polysubstituted naphthohydroquinones: regioselective synthesis via [3+2+1]-benzannulation and haptotropic rearrangement, 58
Cobalt
Antiferromagnetic complexes with metal–metal bonds. Part XXX. Synthesis and molecular structures of the antiferromagnetic adducts $[Cp'Cr(\mu\text{-SPh})]_2(\mu_3\text{-Se})ML$ ($Cp' = \eta^5\text{-}CH_3C_5H_4$, $ML = Fe_3(\mu_3\text{-S})_2(CO)_8$, $Mn_2(CO)_9$, $Mn_2(CO)_8$), paramagnetic complexes $Cp'Cr(\mu\text{-SPh})_3Mn(CO)_3$ and $[Cp'Cr(\mu\text{-SPh})]_2Te$, diamagnetic cluster $Cp'_2Cr_2(\mu\text{-SPh})(\mu_3\text{-S})(\mu_3\text{-Te})Co(CO)_2$, 91
Cobalt–alkyne
Thermolysis of $[(\eta^5\text{-}C_5H_5)Co(PPh_3)(\eta^2\text{-DMAD})]$, revisited: a solid state analysis reveals the true structure of the triphenylphosphine–alkyne coupling product, 1
Complexes
Oxidation of the octa-(ethyl)diphosphaferrocene, 120

Elsevier Science B.V.
doi:10.1016/S0022-328X(03)00191-8

Conformational analysis
Synthesis, NMR spectroscopy, and conformational analysis of α-dimethylsilyl esters, 126
Copper
Trans-spanning acetylenic bispyridine ligands: synthesis and structural characterization of novel organic and organometallic pseudodehydroannulenes, 43
Crystal structures
The synthesis of the triply bonded tetramethyl complex $Re_2(CH_3)_4(\mu\text{-dppm})_2$ and its reaction with carbon monoxide to afford $Re_2(\mu\text{-}CH_2)_2(CO)_4(\mu\text{-dppm})_2$, 166
Cycloaddition
Mechanism of metal-catalyzed CC-coupling reactions with titanocene vinylidene. A theoretical study, 75
Cyclopentadienyl complexes
Antiferromagnetic complexes with metal–metal bonds. Part XXX. Synthesis and molecular structures of the antiferromagnetic adducts $[Cp'Cr(\mu\text{-SPh})]_2(\mu_3\text{-Se})\cdot ML$ ($Cp' = \eta^5\text{-}CH_3C_5H_4$, $ML = Fe_3(\mu_3\text{-S})_2(CO)_8$, $Mn_2(CO)_9$, $Mn_2(CO)_8$), paramagnetic complexes $Cp'Cr(\mu\text{-SPh})_3Mn(CO)_3$ and $[Cp'Cr(\mu\text{-SPh})]_2Te$, diamagnetic cluster $Cp'_2Cr_2(\mu\text{-SPh})(\mu_3\text{-S})(\mu_3\text{-Te})Co(CO)_2$, 91

Density functional
Origin of variation in polymerization activity for Ziegler–Natta catalyst with chloride and alkoxy ligands: a density functional study, 101
Density functional calculations
Mechanism of metal-catalyzed CC-coupling reactions with titanocene vinylidene. A theoretical study, 75
Diethylaminopropyne
Formation of an allylic cluster in the reactions of $[Ru_3(CO)_{12}]$ with diethylamino-propyne and trimethylsilyl propargyl alcohol. Crystal structure of $[(\mu\text{-H})Ru_3(CO)_9(\mu_3\text{-}\eta^3\text{-}C_3H_3)]$, 137
Dimerisation
Catalytic application of a Ru-alkylidene in the nucleophilic addition of several carboxylic acids on terminal alkynes and the homocoupling of 1-alkynes, 131
α-Dimethylsilyl esters
Synthesis, NMR spectroscopy, and conformational analysis of α-dimethylsilyl esters, 126
Diorganotin
Disproportionation reactions of (methoxy/hydroxy)diorganotin(IV) methanesulfonates with carboxylic acids: Synthesis and structure of new diorganotin(IV) carboxylates, 35
Dirhenium(II) complexes
The synthesis of the triply bonded tetramethyl complex $Re_2(CH_3)_4(\mu\text{-dppm})_2$ and its reaction with carbon monoxide to afford $Re_2(\mu\text{-}CH_2)_2(CO)_4(\mu\text{-dppm})_2$, 166
Disproportionation
Disproportionation reactions of (methoxy/hydroxy)diorganotin(IV) methanesulfonates with carboxylic acids: Synthesis and structure of new diorganotin(IV) carboxylates, 35

Electron density
Origin of variation in polymerization activity for Ziegler–Natta catalyst with chloride and alkoxy ligands: a density functional study, 101

Germanium
Facile introduction of bridging MPh_2 groups (M=Ge, Sn, Pb) into platinum–pentaruthenium and hexaruthenium carbido carbonyl cluster complexes, 158

Haptotropic rearrangement
Reaction of complex ligands: Part 95. Chromium tricarbonyl complexes of polysubstituted naphthohydroquinones: regioselective synthesis via [3+2+1]-benzannulation and haptotropic rearrangement, 58
Heterocycles
Oxidation of the octa-(ethyl)diphosphaferrocene, 120
Trans-spanning acetylenic bispyridine ligands: synthesis and structural characterization of novel organic and organometallic pseudodehydroannulenes, 43
Hydroformylation
Rhodium catalyzed hydroformylation of β-pinene and camphene: effect of phosphorous ligands and reaction conditions on diastereoselectivity, 150
Hydrosilylation
Analysis of the enantioselectivities and initial rates of the hydrosilylation of acetophenone catalyzed by $[Rh(cod)Cl]_2$/(chiral diphosphine). The quantitative analysis of ligand effects, 13
2-Hydroxyphenyl-bis(3,5-dimethylpyrazolyl)methane
Synthesis and structure of novel, air-stable carbyne complexes of tungsten, 52

Iron
Antiferromagnetic complexes with metal–metal bonds. Part XXX. Synthesis and molecular structures of the antiferromagnetic adducts $[Cp'Cr(\mu\text{-SPh})]_2(\mu_3\text{-Se})\cdot ML$ ($Cp' = \eta^5\text{-}CH_3C_5H_4$, $ML = Fe_3(\mu_3\text{-S})_2(CO)_8$, $Mn_2(CO)_9$, $Mn_2(CO)_8$), paramagnetic complexes $Cp'Cr(\mu\text{-SPh})_3Mn(CO)_3$ and $[Cp'Cr(\mu\text{-SPh})]_2Te$, diamagnetic cluster $Cp'_2Cr_2(\mu\text{-SPh})(\mu_3\text{-S})(\mu_3\text{-Te})Co(CO)_2$, 91
Oxidation of the octa-(ethyl)diphosphaferrocene, 120
Trans-spanning acetylenic bispyridine ligands: synthesis and structural characterization of novel organic and organometallic pseudodehydroannulenes, 43

Ketone
Analysis of the enantioselectivities and initial rates of the hydrosilylation of acetophenone catalyzed by $[Rh(cod)Cl]_2$/(chiral diphosphine). The quantitative analysis of ligand effects, 13
Kinetics
Analysis of the enantioselectivities and initial rates of the hydrosilylation of acetophenone catalyzed by $[Rh(cod)Cl]_2$/(chiral diphosphine). The quantitative analysis of ligand effects, 13

Lead
Facile introduction of bridging MPh_2 groups (M=Ge, Sn, Pb) into platinum–pentaruthenium and hexaruthenium carbido carbonyl cluster complexes, 158
Ligand effects
Analysis of the enantioselectivities and initial rates of the hydrosilylation of acetophenone catalyzed by $[Rh(cod)Cl]_2$/(chiral diphosphine). The quantitative analysis of ligand effects, 13
Linked amido-cyclopentadienyl ligand
Synthesis and characterization of η^5-tetramethylcyclopentadienyl-hydrido- and -chloro-silyl-η^1-amido zirconium complexes, 172

Magnetic properties
Antiferromagnetic complexes with metal–metal bonds. Part XXX. Synthesis and molecular structures of the antiferromagnetic adducts $[Cp'Cr(\mu\text{-SPh})]_2(\mu_3\text{-Se})\cdot ML$ ($Cp' = \eta^5\text{-}CH_3C_5H_4$, $ML = Fe_3(\mu_3\text{-S})_2(CO)_8$, $Mn_2(CO)_9$, $Mn_2(CO)_8$), paramagnetic complexes $Cp'Cr(\mu\text{-SPh})_3Mn(CO)_3$ and $[Cp'Cr(\mu\text{-SPh})]_2Te$, diamagnetic cluster $Cp'_2Cr_2(\mu\text{-SPh})(\mu_3\text{-S})(\mu_3\text{-Te})Co(CO)_2$, 91

Manganese
Antiferromagnetic complexes with metal–metal bonds. Part XXX. Synthesis and molecular structures of the antiferromagnetic adducts $[Cp'Cr(\mu\text{-}SPh)]_2(\mu_3\text{-}Se)\cdot ML$ ($Cp' = \eta^5\text{-}CH_3C_5H_4$, $ML = Fe_3(\mu_3\text{-}S)_2(CO)_8$, $Mn_2(CO)_9$, $Mn_2(CO)_8$), paramagnetic complexes $Cp'Cr(\mu\text{-}SPh)_3Mn(CO)_3$ and $[Cp'Cr(\mu\text{-}SPh)]_2Te$, diamagnetic cluster $Cp'_2Cr_2(\mu\text{-}SPh)(\mu_3\text{-}S)(\mu_3\text{-}Te)Co(CO)_2$, 91
Me_3tach
Synthesis and reactivity of ditungsten helical complex $W_2(CO)_6(\mu\text{-}Ph_2PC{\equiv}CPPh_2)_3$, 145
Metal carbonyls
Antiferromagnetic complexes with metal–metal bonds. Part XXX. Synthesis and molecular structures of the antiferromagnetic adducts $[Cp'Cr(\mu\text{-}SPh)]_2(\mu_3\text{-}Se)\cdot ML$ ($Cp' = \eta^5\text{-}CH_3C_5H_4$, $ML = Fe_3(\mu_3\text{-}S)_2(CO)_8$, $Mn_2(CO)_9$, $Mn_2(CO)_8$), paramagnetic complexes $Cp'Cr(\mu\text{-}SPh)_3Mn(CO)_3$ and $[Cp'Cr(\mu\text{-}SPh)]_2Te$, diamagnetic cluster $Cp'_2Cr_2(\mu\text{-}SPh)(\mu_3\text{-}S)(\mu_3\text{-}Te)Co(CO)_2$, 91
Metallacycles
Trans-spanning acetylenic bispyridine ligands: synthesis and structural characterization of novel organic and organometallic pseudodehydroannulenes, 43
Methyl complexes
The synthesis of the triply bonded tetramethyl complex $Re_2(CH_3)_4(\mu\text{-}dppm)_2$ and its reaction with carbon monoxide to afford $Re_2(\mu\text{-}CH_2)_2(CO)_4(\mu\text{-}dppm)_2$, 166
μ-Methylene complexes
The synthesis of the triply bonded tetramethyl complex $Re_2(CH_3)_4(\mu\text{-}dppm)_2$ and its reaction with carbon monoxide to afford $Re_2(\mu\text{-}CH_2)_2(CO)_4(\mu\text{-}dppm)_2$, 166
Mixed-metal clusters
Antiferromagnetic complexes with metal–metal bonds. Part XXX. Synthesis and molecular structures of the antiferromagnetic adducts $[Cp'Cr(\mu\text{-}SPh)]_2(\mu_3\text{-}Se)\cdot ML$ ($Cp' = \eta^5\text{-}CH_3C_5H_4$, $ML = Fe_3(\mu_3\text{-}S)_2(CO)_8$, $Mn_2(CO)_9$, $Mn_2(CO)_8$), paramagnetic complexes $Cp'Cr(\mu\text{-}SPh)_3Mn(CO)_3$ and $[Cp'Cr(\mu\text{-}SPh)]_2Te$, diamagnetic cluster $Cp'_2Cr_2(\mu\text{-}SPh)(\mu_3\text{-}S)(\mu_3\text{-}Te)Co(CO)_2$, 91

Nickel
Reductive elimination of C–CN compounds from nickel complexes as a reverse reaction for oxidative addition of benzonitriles to nickel, 179
N-Pincer ligands
Trans-spanning acetylenic bispyridine ligands: synthesis and structural characterization of novel organic and organometallic pseudodehydroannulenes, 43

Olefin polymerization
Origin of variation in polymerization activity for Ziegler–Natta catalyst with chloride and alkoxy ligands: a density functional study, 101
Organogermanium compounds
General access to *para*-substituted styrenes, 113
Ortho-metalation
Thermolysis of $[(\eta^5\text{-}C_5H_5)Co(PPh_3)(\eta^2\text{-}DMAD)]$, revisited: a solid state analysis reveals the true structure of the triphenylphosphine–alkyne coupling product, 1
Osmium
σ-Acetylide complexes of ruthenium and osmium containing alkynylsilane ligands, 27
Oxidative addition
Reductive elimination of C–CN compounds from nickel complexes as a reverse reaction for oxidative addition of benzonitriles to nickel, 179

Pentamethylcyclopentadienyl(rhodium or iridium)
Stereochemistry of mono- and dinuclear complexes of rhodium, iridium and ruthenium bearing bis(diphenylphosphinomethyl)phenylphosphine, 8
Phosphorous ligands
Rhodium catalyzed hydroformylation of β-pinene and camphene: effect of phosphorous ligands and reaction conditions on diastereoselectivity, 150
Phosphorus
Oxidation of the octa-(ethyl)diphosphaferrocene, 120
β-Pinene
Rhodium catalyzed hydroformylation of β-pinene and camphene: effect of phosphorous ligands and reaction conditions on diastereoselectivity, 150
Platinum
Facile introduction of bridging MPh_2 groups (M=Ge, Sn, Pb) into platinum–pentaruthenium and hexaruthenium carbido carbonyl cluster complexes, 158

Quantitative analysis of ligand effects
Analysis of the enantioselectivities and initial rates of the hydrosilylation of acetophenone catalyzed by $[Rh(cod)Cl]_2$/(chiral diphosphine). The quantitative analysis of ligand effects, 13

Reductive elimination
Reductive elimination of C–CN compounds from nickel complexes as a reverse reaction for oxidative addition of benzonitriles to nickel, 179
Ruthenium
σ-Acetylide complexes of ruthenium and osmium containing alkynylsilane ligands, 27
Catalytic application of a Ru-alkylidene in the nucleophilic addition of several carboxylic acids on terminal alkynes and the homocoupling of 1-alkynes, 131
Facile introduction of bridging MPh_2 groups (M=Ge, Sn, Pb) into platinum–pentaruthenium and hexaruthenium carbido carbonyl cluster complexes, 158

Self-assembly
Trans-spanning acetylenic bispyridine ligands: synthesis and structural characterization of novel organic and organometallic pseudodehydroannulenes, 43
Silane
σ-Acetylide complexes of ruthenium and osmium containing alkynylsilane ligands, 27
Siloxane
σ-Acetylide complexes of ruthenium and osmium containing alkynylsilane ligands, 27
^{29}Si-NMR spectroscopy
Synthesis, NMR spectroscopy, and conformational analysis of α-dimethylsilyl esters, 126
Sonication
General access to *para*-substituted styrenes, 113
Stereochemistry
Stereochemistry of mono- and dinuclear complexes of rhodium, iridium and ruthenium bearing bis(diphenylphosphinomethyl)phenylphosphine, 8
Styrene
General access to *para*-substituted styrenes, 113
Synthesis
Synthesis and characterization of η^5-tetramethylcyclopentadienyl-hydrido- and -chloro-silyl-η^1-amido zirconium complexes, 172

Thermally stable
Synthesis and structure of novel, air-stable carbyne complexes of tungsten, 52

Tin
Facile introduction of bridging MPh_2 groups (M=Ge, Sn, Pb) into platinum–pentaruthenium and hexaruthenium carbido carbonyl cluster complexes, 158
Titanacyclobutanes
Mechanism of metal-catalyzed CC-coupling reactions with titanocene vinylidene. A theoretical study, 75
Titanacyclobutenes
Mechanism of metal-catalyzed CC-coupling reactions with titanocene vinylidene. A theoretical study, 75
Titanocene vinylidene
Mechanism of metal-catalyzed CC-coupling reactions with titanocene vinylidene. A theoretical study, 75
Triazol-5-ylidene
Catalytic application of a Ru-alkylidene in the nucleophilic addition of several carboxylic acids on terminal alkynes and the homocoupling of 1-alkynes, 131
Trimetallic cluster
Facile introduction of bridging MPh_2 groups (M=Ge, Sn, Pb) into platinum–pentaruthenium and hexaruthenium carbido carbonyl cluster complexes, 158
Trimethylsilylpropargyl alcohol
Formation of an allylic cluster in the reactions of $[Ru_3(CO)_{12}]$ with diethylamino-propyne and trimethylsilyl propargyl alcohol. Crystal structure of $[(\mu\text{-H})Ru_3(CO)_9(\mu_3\text{-}\eta^3\text{-}C_3H_3)]$, 137
1,3,5-Trimethyl-1,3,5-triazacyclohexane
Synthesis and reactivity of ditungsten helical complex $W_2(CO)_6(\mu\text{-}Ph_2PC{\equiv}CPPh_2)_3$, 145
Trinuclear tin
Disproportionation reactions of (methoxy/hydroxy)diorganotin(IV) methanesulfonates with carboxylic acids: Synthesis and structure of new diorganotin(IV) carboxylates, 35
Vinylation
Catalytic application of a Ru-alkylidene in the nucleophilic addition of several carboxylic acids on terminal alkynes and the homocoupling of 1-alkynes, 131
Vinyl-phosphonium
Thermolysis of $[(\eta^5\text{-}C_5H_5)Co(PPh_3)(\eta^2\text{-DMAD})]$, revisited: a solid state analysis reveals the true structure of the triphenylphosphine–alkyne coupling product, 1
X-ray analyses
Antiferromagnetic complexes with metal–metal bonds. Part XXX. Synthesis and molecular structures of the antiferromagnetic adducts $[Cp'Cr(\mu\text{-SPh})]_2(\mu_3\text{-Se})\cdot ML$ ($Cp' = \eta^5\text{-}CH_3C_5H_4$, $ML = Fe_3(\mu_3\text{-S})_2(CO)_8$, $Mn_2(CO)_9$, $Mn_2(CO)_8$), paramagnetic complexes $Cp'Cr(\mu\text{-SPh})_3Mn(CO)_3$ and $[Cp'Cr(\mu\text{-SPh})]_2Te$, diamagnetic cluster $Cp_2'Cr_2(\mu\text{-SPh})(\mu_3\text{-S})(\mu_3\text{-Te})Co(CO)_2$, 91
Ziegler–Natta catalysts
Origin of variation in polymerization activity for Ziegler–Natta catalyst with chloride and alkoxy ligands: a density functional study, 101
Zirconium
Synthesis and characterization of η^5-tetramethylcyclopentadienyl-hydrido- and -chloro-silyl-η^1-amido zirconium complexes, 172